

# Vendor/Supplier/Contractor Environmental, Health, Safety, and Security Awareness



# Contractor Responsibilities



- Contractor assumes and has full responsibility and liability for:
  - safety of its employees.
  - compliance of subcontractors.
  - compliance with H-D standards and applicable laws and regulations.
  - enforcement of rules.
  - ensuring that work is performed in a safe manner.
- Any questions on the content of this presentation or other H-D requirements should be directed to your onsite H-D champion/representative.



Environmental, Health and Safety Department (EHS) personnel and contact numbers for the site are:

<ul> <li>EHS Manager: Ignazio Sabella Cell: (717) 515-7252</li> </ul>
-----------------------------------------------------------------------

#### Emergency Coordinator for the site is:

Emergency Management Coordinator: Whitney Hendon: (414) 217-6206

# **Emergency Information**

- Emergency equipment access must be clear at all times.
  - First-aid equipment, fire extinguishers, sprinklers, eyewash stations, egress routes, etc.
  - If you must block or remove, contact the EHS.
- Accidents & First Aid
  - Non-Serious injury-care available in Health Clinic.
  - Emergency assistance- call Security at \*999 on an internal phone or (717)
     852-6000 on a cell phone.
    - Do not dial 911 work through Security.
  - H-D York Project Champion must be notified immediately of any injury.
- Fire Emergency
  - Individuals discovering a fire should activate the fire alarm system by operating a pull station.
  - If you can do it safely, dial \*999 on an internal phone or (717) 852-6000 on a cell phone to report the fire.
  - Evacuate the building.

# **Emergency Information**



- Evacuation Warden
  - Prior to beginning work on-site, the Evacuation Procedure must be reviewed with all personnel.
  - Evacuate if you hear an audible alarm and see a strobe.
  - In the event of an evacuation, report to the assigned or nearest Rally Point for headcount.
  - If you are not at your assigned Rally Point, notify the Fire Warden.
- Hazardous Material Release Emergency
  - In the event of a hazardous material release, call \*999 from an internal phone or 717-852-6000 from a cell phone to report a release.
  - If the area needs to be evacuated, activate a fire alarm pull station.


## **Evacuation**

- Evacuation routes are posted at entrances throughout the facility.
- Individuals evacuating shall assemble at the area's assigned Rally Point.
- Report to your supervisor for headcount and use electronic accountability system.
- If you are not in your normal area during evacuation, go to closest gathering point, use the electronic accountability system, and report directly to the evacuation warden.
  - If you are a truck driver, park your vehicle immediately, and proceed to the closest Rally Point for accountability
- Individual shall remain at this Rally Point, until headcount is completed and an "All Clear" has been given.



# **Rally Point Locations**






# Electronic check in system

#### Rally Point, Shelter in Place Check in

- Hold your badge over the keypad and wait for the light to turn green. (If you forgot your badge, enter your clock number (Employee or Contractor badge #) followed by #).
- The reader light will turn green.
- Anyone without a badge should see the evacuation warden to capture your name with security.





#### **ID Number**

Employee and Contractor badge ID Number is located on the back of the badge.

Employee number is 5 digits.

Contractor number is 6 digits.

**ID Badge** 




# Alcohol, Drugs, Firearms and Tobacco...etc.



- Alcoholic beverages, non-regulated drugs, explosives, guns, etc. are not permitted.
- On 01/01/2015, all U.S. H-D facilities became tobacco-free.
- <u>Tobacco-Free Policy</u> applies to all employees, contractors, contingents, consultants, visitors and others who are working on behalf of the company.
- Tobacco-Free Policy prohibits the use of tobacco products includes the use of pipes, cigarettes, e-cigarettes, cigars, snuff, chewing tobacco and all other tobacco-related products.
- Tobacco cessation methods approved by U.S. Food &Drug Administration may be used, such as lozenges, chewing gum, skin patches and other FDA-approved methods.
- See the map for tobacco-free areas H-D owns or leases.

# Alcohol, Drugs, Firearms and Tobacco...etc.





TALL AREAS HIGH LIGHTS IN OMER (N-S OMES PROPERTY) HELE
TRANSPORTED HELAS

2. COMPANY PROPERTY HAL AREAS HOLIGING HET HOT LIMITS TO
ALL REALPHON, DOCUMEN, THRESTS ON RESIDENCE WITHIN SO HELE

CHAMMAT PROPERTY ALL PRINCE RECUPED ANY MATERIAL PROPERTY AND ADMINISTRATION OF THE RECUPED ANY MATERIAL PROPERTY AND ADMINISTRATION AND ADMINISTRATION AND ADMINISTRATION AND ADMINISTRATION AND ADMINISTRATION OF ANALYSIS ANALYSIS AND ADMINISTRATION OF ANALYSIS ANALYSIS AND ADMINISTRATION OF ANALYSIS AND ADMINISTRATION OF ANALYSIS ANALYSIS AND ADMINISTRATION OF ANALYSIS AND ADMINISTRATION OF ANALYSIS AN

# Plant Rules on Electronic Devices



Using mobile phones and/or unauthorized in-ear devices for non-work-related phone calls or texts and/or internet use during work time, except in cases of emergency with proper notification to your supervisor.

- This rule also applies to everyone when present on the shop floor (whether you are working on the floor or walking through the plant).
- Mobile phones (non-work related) and/or devices (non-work related) are strictly prohibited
  in the workstation at any time. This includes, but not limited to, making or taking phone
  calls, reading and replying to texts, playing games and using apps.
- Devices (non-work related) like radio/music/phone/tablet (including iPads, smart phones, etc.) or personal computer during work time, at workstation, walking, or operating a motorized vehicle on the production floor without HR Director/Manager or designee approval is strictly prohibited.
- Cables and chargers for non-work-related mobile phones and/or devices are not to be
  plugged in at the workstation, team room, cafeteria or any other outlets within the facility.
- Use of your mobile phone (non-work related) is allowed in <u>team rooms and cafeteria only</u> during breaks, lunch, or in case of emergency with proper notification to your supervisor. Mobile phones (non-work related) should never be used on the production floor.

# **Asbestos & Lead Paint**



- Only Certified Asbestos and Lead Paint Contractors are permitted to handle asbestos containing material or lead paint.
- Prior to removal of asbestos or Lead Paint materials on site
  - approval must be obtained from the EHS Department.
  - during removal, all applicable Federal, State, and local regulations must be followed.
- Installation of new materials that contain asbestos is prohibited.

## Chemicals

- All chemicals, including cleaners, mixtures, lubricants, etc., and compressed gases must be approved prior to being brought on H-D property.
- Safety Data Sheets (SDS) and Material Acquisition Request Submittal (MARS) form must be supplied by Project Champion who will request approval for use.
- MARS is required when:
  - New chemical is proposed at the facility.
  - Existing approved chemical is proposed for a different area.
  - Outside contractor wants to use a chemical for a project.
  - New chemical comes in as a residue on a product or part.
- Follow Shield 2.30 for submittal process. EHS Team reviews MARS forms once a week. Once approved, requestor is notified & chemical may be used.
- Project Champion will review with the contractor the list of H-D chemicals used in the area of construction.

# Chemicals



- All chemical containers must have a label.
  - If you find hazardous or unlabeled materials must be relocated to perform work safely, contact the Project Champion.
- Any chemicals stored on site must be contained in appropriate storage facilities/cabinets.
- To dispose of chemicals, contact the EHS Department.
- Chemical Spills
  - Call \*999 from an internal phone or (717) 852-6000 from a cell phone.
  - Evacuate the spill area if a safety hazard exists.
  - Attempt to contain spill.
  - H-D will be responsible for the spill-clean-up operation, and the disposal or treatment of residue.
  - You will be liable for all costs incurred for clean-up and disposal.
- You are responsible for providing your employees with Right-To-Know training.

# Flammable & Combustible Liquids



- Adequate ventilation must be provided.
- Extreme caution must be taken when flammable materials are used-no sources of ignition present.
- Flammable liquids must be dispensed in safety cans with flash screens.
- Flammable liquids must be stored in an approved cabinet. The amount stored shall not exceed:
  - 25 gallons of class IA liquids in containers or
  - 125 gallons of class IB, IC, II or III liquids in containers.

# **Confined Space Entry**



- Personnel that perform confined space entry work must have appropriate training.
- Project Champion must authorize confined space entry work.
- The plant wide Confined Space Entry Policy applies to all contractor personnel.
- Harley-Davidson has posted warning signs at the entrances of permit-required confined spaces.
- It must be recognized that situations and tasks may create a hazardous atmosphere that will require a permit in non-posted confined spaces.

# **Compressed Gas Cylinders**



- Valve protection caps shall be in place when compressed gas cylinders are transported, moved or stored.
- Cylinder valves should be closed when work is finished and when cylinders are emptied or moved.
- Compressed gas cylinders shall be secured in an upright position.
- Cylinders should be permanently marked or stenciled to identify them.

# **Construction Areas**



- Construction areas must be clearly identified by using:
  - barricades
  - ropes
  - stanchions
  - fences
  - cones
  - appropriate signs
- Includes any area used by contractor performing work on premises regardless of the length of time required to do work or type of work to be done.
- Hard hats must be worn in areas and on projects where a potential danger to the head exists from falling objects.

# **Cranes & Hoists**



- Mobile cranes should not be operated within 50 feet of overhead electrical power lines unless approved by H-D Project Champion.
- Accessible areas within the rear-swing radius of the revolving superstructure should be barricaded to keep unauthorized persons away.
- Hoisting of equipment over the roof on a H-D building is not allowed unless there is no alternative method and appropriate protections are in place.
- You are not permitted to use hoists and lifting apparatus belonging to H-D unless approved by Project Champion.

# Crane (Overhead)



 When working in Fabrication's North or South Crane Bay, from an Aerial Work Platform or Press Overhead Platform, LOTO must be used in accordance with HD policy.

#### **North Bay**

- Disconnect located at Col. G5
- East or West portion of bay are able to be locked out individually



#### **South Bay**

- Disconnect located at Col. I5
- Entire bay



# **Electrical Safety**



- Non-current carrying metal parts of fixed, portable, or plugconnected equipment should be grounded.
- No electrical appliances such as crockpots, radios, TV's, etc. will be allowed.
- Extension cords:
  - Three-wire type
  - Makeshift power extension cords, worn or frayed cords shall not be used
  - Cords should be properly rated for the job
  - Cords should not run across aisleways and corridors
  - Cords and temporary lighting cords should not be fastened with staples, hung from nails or suspended from wires

# NFPA 70E

- Managing ARC Flash
  - Arc flash hazard analysis has been performed at H-D to:
    - Comply with NFPA 70 E standard
    - Determine arc flash boundaries
    - Determine required level of Personal Protective Equipment (PPE) to protect personnel
- Working with Energized Circuits
  - Only "Qualified" personnel are permitted to work on energized electrical equipment.
  - Definition: A qualified person is one who has the technical skills and knowledge related to the construction and operation of the electrical equipment and installations and has received safety training to recognize and avoid the electrical hazards.

## NFPA 70E



- All contractors and suppliers working on energized electrical circuits operating at 50 volts or more at H-D are required to follow the requirements outlined in NFPA 70E.
- Contractors and suppliers working on energized electrical circuits operating at 50 volts or more will be required to have the appropriate training to classify them as a "Qualified Person." Documentation of training is required.
- Contractors and Suppliers are required to provide their own Personal Protective Equipment (PPE) and any other equipment required to comply with the NFPA 70E standard.
- H-D requires 8 cal/cm2 protective clothing to be worn for Hazard Classifications 2 or less.

## NFPA 70E



- A safe electrical work condition must be created including deenergizing all electrical 50 volts or greater inside the electrical box.
  - The circuit shall be LOCKED OUT AND TAGGED.
  - A Live Electrical Work Permit must be completed for any energized electrical work.
  - Trouble-shooting activities are exempt from the permit requirement.
- Barriers will be placed around the electrical equipment when there is exposed energized electrical parts.
  - Unqualified personnel will not be allowed to cross the Limited Approach Boundary.
  - Qualified electrical personnel will wear PPE appropriate for the task.
- Arc flash hazard labels are posted on the electrical equipment to identify the hazard present.

# **Barriers**

(Typical Application Shown)







# Arc Flash and Shock Hazard Appropriate PPE Required

3' - 4"	Flash Hazard Boundary
4.8	cal/cm2 Flash Hazard at 18 Inches
0.48	kV Shock Hazard when cover is removed
3' - 6"	Limited Approach
1' - 0"	Restricted Approach - Class 0 Voltage Gloves
0' - 1"	Prohibited Approach - Class 0 Voltage Gloves

#### Class 2

Cotton Underwear, FR Shirt & Pants, Face Shield/Helmet

Date: August 2005, Calculation Method: IEEE-1584

EQUIPMENT: 1STFLR 2000A



# **Excavations and Floor Openings**



- Floor openings 4 feet or greater to the next level shall be guarded by a standard guardrail, including a top rail, mid-rail, and 4-inch toe board.
- Excavations must be guarded by barriers and by lights (at night).
- Excavations must be properly shored to prevent cave-ins.
- Openings in the ground or in floors (open manholes, pits, sewers, etc.) must be guarded.
- Any subsurface work must follow YS2.03.300 Subsurface Utility Clearance and Environmental Requirements.

### **Hot Work**



- H-D hot work permit system must be followed.
- H-D site EHS Department must notified prior to any welding or cutting.
- Non-combustible or flame proof shield or screens must be provided.
- You must provide a fire watch equipped with 2 suitable fire extinguishers.
- No cutting or welding is permitted in sprinkler equipped buildings while sprinklers are out of service.
- Personnel that perform cutting, welding, brazing must have appropriate training.
- Plant wide policy applies to all contractor personnel.

# Housekeeping



- Material should be carefully stacked and located so that it does not block aisles, doors, fire extinguishers, emergency eye washes/showers, fixed ladders or stairways.
- Debris shall be removed after completion of project.
- Combustible scrap, waste materials shall be removed daily.
- Overhead storage of debris, tools, equipment, etc. is prohibited.

# Industrial Hygiene



- Operations that create excessive noise where H-D employees will be affected are prohibited unless approved by EHS Department.
- Operations that create excessive gasoline or diesel engine exhaust in areas where H-D employees will be affected are prohibited unless approved by EHS Department.
- Operations that create excessive dust, odors, fumes and vapors in areas where H-D employees will be affected are prohibited unless approved by EHS Department.

# **Industrial Powered Vehicles**



- Personnel that operate powered vehicles must have appropriate training.
- The Project Champion must authorize the use of powered vehicles in the plant.
- The plant wide Motorized Vehicle Policy applies to all contractor personnel.
- Speed Limit inside H-D Buildings is 5 mph.
- Speed Limit outside H-D Buildings is 15mph unless otherwise marked.
- Never walk directly in front/behind a powered vehicle.
- Always make eye contact with the operator prior to walking around them, don't assume they see you.

### Ladders



- Do not work from top rung or step.
- Portable ladders must be inspected prior to use each day.
- The use of ladders with broken rungs or steps, broken handrails or other defective construction is prohibited.
- Portable metal ladders shall not be used for electrical work.
- Portable ladders must be equipped with safety feet.
- "Homemade" ladders must not be used.
- Ladders must be of appropriate length to safely perform the job.
- H-D work instruction for ladders applies to all contractor personnel.

# Lockout/Tagout



- Personnel that perform lockout/tagout must have appropriate training.
- You must supply locks and tags for your employees.
- Group lockout will need to be performed when working with Harley-Davidson personnel.
- Locks must only be removed by the person who applied the lock.
- The plant wide Lockout/tagout policy applies to all contractors.

# Working Safely at Heights



- Personnel that perform overhead work must have appropriate training.
- The H-D facility Fall Protection work instruction applies to all contractor personnel.
- Work areas must be appropriately marked and barricaded where overhead work will be performed.
- No overhead work may be performed when there is the possibility of an unprotected contractor or H-D employee at risk of being struck by a falling object.
- The plant wide policy applies to all contractor personnel.

# Personal Protective Equipment



- Safety Glasses must have side shields and comply with the current standards of the American National Standards Institute (ANSI), Code Z87 - 2020.
- Safety Toe Shoes must be worn on the production floor. These shoes must meet the current ASTM standards.
  - Note: Metatarsal guards are required while using a lift device.

    Lift Devices shall be labeled "METATARSAL PROTECTION REQUIRED."
- When walking in the plant, stay in designated walking pathways defined by yellow tape on the floor.
- Hearing Protection is required in designated areas within Fabrication, Paint, and Assembly. Areas where hearing protection is required are marked by signage. Hearing protection can be obtained once entering the plant from stations located near hearing protection required areas.

# Personal Protective Equipment



- High visibility vests are required in "Orange Crush" zones.
  - "Orange Crush Zones" have been established and marked in areas where a higher risk exists between Powered Industrial Vehicles and pedestrians.
  - Typically dock areas where we are loading and unloading trucks.
- High visibility vests are required when walking outside YVO buildings.
  - High visibility vests are not required within designated break areas, these areas will be identified by orange outline with green hashed lines inside and signage.
  - Stay in designated walkways when available.
  - Be alert for powered industrial truck and commercial motor vehicle traffic, do not go under, behind, or near trailers unless authorized.

# Personal Protective Equipment / Cosmetic Protection

- Cut resistant sleeves are required in all areas of the Fabrication department and certain areas within Paint where bare metal is present. The sleeves can be obtained from the tool crib or from your project champion prior to entering these areas. The sleeves must be worn above the elbow. Long sleeve shirts, jackets, etc. are not a substitute for cut resistant sleeves. Excluding the Press areas, the following are allowed in place of cut resistant sleeves: Flame Resistant Sleeves, Weld Jackets, & FR rated shirts. In addition, all individuals working in the press department must wear long pants.
- Cosmetic Protection is required in several plant areas to protect our product. Cosmetic protection consists of Ring Guards, Belt Guards & Watch Guards. Wear as required & check with H-D champion/rep to ensure you comply.

# Roofs



- Fall protection must be provided while performing work on unprotected roof edges with a ground-to-eves height greater than 16 feet.
- At least 2 people are required when on the roof, at all times.
- Warning lines are to be used when roof work is more than 10 feet from the roof's edge.
- Guardrails, positioning systems or fall arrest systems shall be used when roof work is within 10 feet of the roof edge.
- Designated hoisting areas are required.
- Extension ladders used to access the roof must be secured to the edge of the building and extend at least 3 feet above the roofline.

# Scaffolds



- Upright scaffolds should be plumb, secure, and have firm footing.
- Narrow-base portable maintenance staging must be equipped with outriggers.
- Platforms and planks shall be secured or cleated to the scaffold to prevent slippage.
- Stationary metal upright scaffolds should be secured to the building or other adequate structures.
- Planks should be at least 2 planks wide and extend over the supporting surfaces not less than 6 inches or more than 12 inches.
- Scaffolds more than 6 feet above the ground must have guardrails and toe boards on all open sides and ends.

# Tools



- Hand and power tools should be kept in safe operating condition.
- Safety guards must be kept in position and in accordance with OSHA 1910 and 1926.
- All power tools and equipment must be grounded, or UL approved as double insulated.
- Tools operated by explosives are not permitted in H-D facilities without prior approval.
- Non-sparking tools may be necessary in certain areas where flammable solvents or materials are handled or where sparks could create an explosion.
- The use of H-D tools and equipment is prohibited unless approved by the Project Champion.

# **Workplace Violence Policy**



- Harley-Davidson has an established Workplace Violence Policy with the purpose of establishing and communicating our zerotolerance towards threats, threatening behavior, or acts of violence conducted by anyone against employees, visitors, guests, or other individuals on Harley-Davidson property including its facilities and parking areas.
- If you witness or receive any threats, or if you have been told about a threat a coworker has witnessed or received, notify your Work Group Advisor, Supervisor, Human Resources Representative or Site Security Supervisor immediately. Site Security will contact Corporate Security.
- If you witness any behavior that may be regarded as violent, contact Site Security immediately.

# **Workplace Violence Policy**

- Prohibited conduct on Harley-Davidson property includes, but is not limited to, the following examples:
  - Physical possession of firearms (including air-pistols and air-rifles), switchblades, spring-loaded knives or other knives not required for one's job, explosive materials, toxic agents, and any other object carried for the purpose of injuring or intimidating others.
  - Public law enforcement officers, licensed armored courier services or other officials in the performance of their official duties may be in possession of some firearms while on Harley-Davidson property.
  - Abusive or threatening language or behavior, including verbal threats, harassing phone calls and stalking.
  - Unwanted physical contact such as hitting, fighting, pushing, shoving, or throwing of objects.
  - Damaging property as a result of violent acts.
  - Possession of a weapon in violation of federal, state or local law.



# Annual Environmental Awareness Training

York Vehicle operations

# **Outline**



- Provide guidelines and training to employees on EMS, waste generation and other requirements.
- Review scope of the EMS and Environmental Policy.
- Comply with waste regulations relating to the Resource Conservation and Recovery Act (RCRA).
- Review waste labeling, handling and storage requirements.
- Review spill and emergency response procedures.
- Review other topics with Environmental impact.



# PART 1: ENVIRONMENTAL MANAGEMENT SYSTEM (EMS)

# Environmental Management System (EMS) ISO 14001



#### What is the EMS?

- Part of an overall management system that depends on commitment from all levels and functions of the organization.
- Supports actions that prevent or lessen adverse environmental impacts and enhance beneficial environmental impacts by integrating env. management into the organization's business processes, strategic direction and decision making, and aligns with other business priorities.

#### What is ISO?

 ISO (International Organization for Standardization) is a worldwide federation of national standards bodies.

#### What is ISO 14001?

- An International Environmental Standard that provides organizations
  with a framework to protect the environment and respond to changing
  environmental conditions.
- It specifies requirements that enable an organization to achieve the objectives set for its environmental management system.

# Environmental Management System (EMS)




### EMS is part of our management system which includes:

- Organizational Structure and Responsibilities
- Maintaining Conformance to Environmental Policy
- Improving Environmental Performance
  - Reducing Waste/Increasing Recycling
  - Assuring Environmental Compliance
  - Increasing Environmental Awareness
  - Preventing Pollution

# Not conforming to the EMS including compliance obligations may result in:

- Decreased environmental performance
- Nonconformances
- Fines and penalties

# Scope of the EMS





### **Environmental and Energy Policy**

#### WHY THIS IS IMPORTANT

At Harley-Davidson, we take our environmental responsibility seriously and are committed to consciously advancing sustainable business practices that reduce our environmental impact across our entire business.

Adherence to environmental laws and regulations is fundamental to our sustainability efforts, reinforcing our commitment to lawful and ethical business practices and to protecting the planet for future generations.

As we all have a shared responsibility to reduce our environmental impact, this Policy applies to all employees of Harley-Davidson, Inc. and its subsidiaries, members of the Company's Board of Directors and third parties representing Harley-Davidson, Inc. and its subsidiaries.

#### **HOW WE DO IT**

#### **Training and Awareness**

We provide training for employees, emphasizing both individual and corporate responsibility for compliance, sound environmental management and conservation actions. We foster a culture of sustainability, encouraging and expecting every team member to contribute to our sustainability goals.

#### **Pollution Prevention**

We are focused on reducing our Carbon Impact and continue to implement new techniques to minimize the creation of Emissions and Pollution in all aspects of our business. We empower employees to champion Pollution prevention by identifying practices that can reduce

Emissions in our work, actively participate in the Company's efforts to minimize our Carbon Impact and collaborating across departments to support these efforts to minimize the creation of Emissions and Pollution throughout our business.

#### **Energy Efficiency**

We continuously strive to improve our energy consumption by managing energy use, improving efficiency and finding new opportunities to help reduce our environmental impact. This includes investing in Renewable Energy sources, optimizing manufacturing process and sourcing sustainable materials.

#### DEFINITIONS

Carbon Impact refers to a calculated value or index that makes it possible to compare the total amount of greenhouse gases that a product or company adds to the atmosphere.

**Emissions** refers to the release of substances, such as gases or particulates like pollutants or greenhouse gases into the atmosphere.

ISO 140001 refers to an international standard that specifies requirements for an effective Environmental Management System (EMS). It provides the framework for an organization to protect the environment and respond to changing Environmental conditions.

**Pollution** refers to the introduction of harmful substances into the environment, such as contamination of air, water or soil that can negatively affect our environment.

**Renewable Energy** is energy from sources that are naturally replenishing and virtually inexhaustible, like wind or solar power.



### **Environmental and Energy Policy**

#### **Continuous Improvement**

In line with ISO 14001 standards, we are committed to continuous improvement in our environmental and energy performance. This includes:

- conducting internal audits and environmental and energy reviews for new projects.
- evaluating processes and material selection to promote better operating practices.
- improving Pollution prevention, energy use, waste management, water management, information exchange, recordkeeping and compliance with regulations.

#### WE DO:

- Operate in compliance with all applicable environmental laws and regulations in the countries where we operate.
- Recycle and minimize waste in our daily tasks and use our resources efficiently.
- Speak up when we see an opportunity to improve our use of energy and other resources in the workplace.
- Seek to reduce our use of energy and resources, as well as the generation and discharge of waste in research, design, operating, purchasing and management decisions.
- Evaluate reuse, recycling and other beneficial uses of waste materials in lieu of landfilling or other means of disposal.
- Communicate the Company's environmental commitment to employees, contractors and stakeholders.
- Establish specific operating and performance targets consistent with the purpose and objectives
  of this Policy.

#### WE DO NOT:

- Put the needs of production over the responsibility to comply with the law.
- Compromise on our commitment to reducing our environmental impact.
- Use resources inefficiently or irresponsibly.

#### **HAVE A QUESTION?**

If you have questions or need help with specific situations, please contact the Human Resources Department.

For further information, please see the Harley-Davidson Code of Conduct. You can also contact our Code of Conduct Helpline anytime through the website at www.h-dcodehelpline.com or by phone at 855-318-5389 (for international numbers, check the Code of Conduct).



# **Environmental and Energy Policy**



#### WHERE THE RUBBER MEETS THE ROAD

#### Q. Where can I find Harley-Davidson's climate goals?

A: The climate goals of Harley-Davidson, Inc. and its affiliates and our progress to achieve them can be found in our annual Inclusive Stakeholder Management (ISM) report.

#### Q: What commitments has Harley-Davidson made to reduce our environmental impact?

A: In 2022, Harley-Davidson signed onto the Business Ambition for 1.5°C campaign from We Mean Business and the UN-backed Race to Zero campaign. We have also established a goal to achieve net zero carbon Emissions by 2050 for Harley-Davidson, Inc.

#### Q: How can employees contribute to our environmental and energy goals?

A: Employees can contribute by adhering to our sustainable practices, actively participating in training sessions and proposing innovative ideas to help us continuously improve to achieve our goals.

#### Q: What is an Environmental Management System (EMS) and does my site have one?

A: An EMS is part of an overall system that assists an organization in overseeing environmental activities and requirements. All our sites have an EMS, and our Tomahawk, York and Manaus facilities have programs that follow the 2015 ISO 14001 standard.

# **Key Definitions**



# Environmental Aspect

Any activity, process, or product at H-D that can interact with the environment.

### Environmental Impact

Any change on the environment, adverse or beneficial, resulting from an environmental aspect at H-D.

# Significant Environmental Aspect

An Environmental Aspect, which has or can have one or more significant environmental impact(s).

### Environmental Objective

An environmental result to be achieved (goal) that is set by H-D.

# Significant Env. Aspects & Env. Objectives



Significant Environmental Aspects and Environmental Objectives are communicated via postings on environmental kiosks, and messages in the York Rundown.

#### Significant Env Aspects that everyone can impact:

- Energy usage
- 2. Non-Hazardous Waste
- 3. Stormwater

#### **Environmental Objectives:**

- 1. Reduce waste generation per unit (lbs/unit)
- 2. Reduce waste generation (lbs)
- 3. Reduce electricity usage per unit (kWh/unit)
- 4. Reduce electricity usage (kWh)
- 5. Reduce natural gas consumption (dth/unit)
- 6. Reduce natural gas consumption (dth)
- 7. Environmental Training
- 8. Environmental Performance Index (EPI)

See your supervisor for clarification on how you can impact the significant environmental aspects and environmental objectives for your area



# PART 2: WASTE AWARENESS

# **Waste Types**

- Municipal Waste:

  - Municipal RecyclingWhite Office Paper Recycling
  - Cafeteria Trash
- Universal Wastes:
  - Batteries and lamps/bulbs
- Electronics (E-waste):
  - Hard drives, laptops, monitors & cell phones
- - General Plant Trash / Cardboard
  - Powder Paint Black & Other Colors
  - Paint Sludge / Wood / Scrap Metal
- Hazardous Wastes:

  - Paint & Paint Solvents / Debris / PPE (Wet) Acids: pH < 2.0 OR Alkalines: pH > 12.5 Aerosols: Flash Point <140°F



FE	NIVERSAL WASTE DERAL LAW PROHIBITS IMPROPER DISPOSAL THE FOLLOWING MATERIALS ARE REGULATED AS A VERSAL WASTE IN ACCORDANCE WITH 40 CFR PART 273.
	UNIVERSAL WASTE - BATTERY(IES)
	UNIVERSAL WASTE - MERCURY THERMOSTAT(S)
	UNIVERSAL WASTE - MERCURY CONTAINING EQUIPMENT
	UNIVERSAL WASTE - PESTICIDE(S)
	UNIVERSAL WASTE - LAMP(S)
ACC	CUMULATION START DATE:
_	D.O.T. PROPER SHIPPING NAME AND UN OR NA NO. WITH PREFEX (REQUESTO DURNOS TRANSPORT, WITH MATTERAL IS ALSO REQUESTED DURNOS TRANSPORT, WITH MATTERAL IS ALSO
	HANDLE WITH CARE!
	INVO UNIOS © 2005 LABELIMASTER ® (800) 621-5808 www.labelmaster.com

### RESIDUAL WASTE

SHIPPER:	Harley-Davidson Motor Co. Operations, Inc.	
ADDRESS:	1425 Eden Road	
CITY, STAT	E, ZIP: York, PA 17402	

NON-HAZARDOUS MASTE

# REGULATORY AUTHORITIES

# EPA (Federal) and PADEP (State):

- Regulate Waste Generation & Disposal
- What is a Waste?
  - -Materials/Chemicals from an industrial process that no longer have a useful life or are no longer needed
  - -Expired or spent products/materials/chemicals
  - -Resource Conservation Recovery Act requires the facility to determine if the waste is hazardous (YS2.03.637, Waste Disposal Activities)
- Cradle to Grave Responsibilities
- Waste streams are tested for characterization and disposal approval
- Significant deviations in the waste stream composition may cause improper disposal, rejection and return of shipment, fines and penalties



# **Regulatory Authorities**



### **DOT (Federal):**

- Regulates transportation of hazardous materials
- Employees that prepare hazardous waste for shipment must be trained in the DOT regulations.



# Springettsbury Township Sewer Authority (local): Govern Wastewaters Discharged to the sanitary sewer system including:

- Wastewater treatment plant (WWTP) acids, alkalines, rinse waters, tank washer and phosphate & e-coat solutions, and paint sludge pit water
- Restroom & locker rooms
- Cafeteria



# **WASTE LABELING**



# All Employees Generate Waste – What To Know:

- Waste containers must be properly labeled
- Verify waste description on label represents the waste
   YOU put in the container
- Hazardous & Residual labels are stocked in the Tool Crib
- Recycle & White Office Paper labels are stocked in the Environmental, Health, and Safety Dept.

# RECYCLABLES

12-5-4

#### PLASTIC DRINK BOTTLES

- ✓ Bottle must have a neck (smaller opening than container)
- ∅ NO CAPS
- **O NO LIQUIDS**



#### **NEWSPAPER / CARDBOARD**

- √ Cardboard small pieces
- ∅ NO OTHER PAPER TYPES



#### METAL (Aluminum/Steel)

- √ Soda & Energy Drink Cans
- √ Soup Cans
- **O NO LIQUIDS**



#### **GLASS**

- √ Glass bottles
- ⊘ NO CAPS
- **⊘** NO LIQUIDS






# Recycle Label


# **Residual Waste Label**

- A. Preprinted Generator Information
- **B.** Contents of the Waste container



### **HAZARDOUS WASTE LABEL**

- A Preprinted Information
- B Date: Only when 55 gals are accumulated in container(s)
- C EPA Waste No. (Code)
- D Description of Waste





# Waste Identification Poster



#### RECYCLABLES

#### PLASTIC DRINK BOTTLES

- √ Bottle must have a neck (smaller opening than container)
- NO CAPS
- **⊘ NO LIQUIDS**



#### **NEWSPAPER / CARDBOARD**

- √ Cardboard small pieces
- ∅ NO OTHER PAPER TYPES



#### METAL (Aluminum / Steel)

- √Soda & Energy Drink Cans
- √ Soup Cans
- ∅ NO LIQUIDS



#### **GLASS**

√Glass bottles O NO CAPS



#### Ø NO LIQUIDS



#### COMPOST

√ Food Waste Only





#### TRASH

#### PLASTICS

- ✓ Plastic bags
- √ Plastic containers
- ✓ Plasticware/Straws
- √ Styrofoam
- √ Cafeteria food containers
- ✓ Bottle Caps
- **⊘ NO RECYCLABLE BOTTLES**





#### **PAPERS**

- √ Napkins, Tissues, Towels
- √ White, Colored, Glossy Paper
- √ Magazines
- √ Laminated paper
- √ Wax coated paper
- √ Labels
- ⊘ NO NEWSPAPER
- ⊘ NO CARDBOARD



#### **METAL CAPS / FOIL**

- √ Metal Caps
- ✓ Aluminum Foil





#### OFFICE PAPER

- √ White Office Paper
- √ Staples are ok



#### OTHER

#### HAZARDOUS WASTE (Yellow Container)

- Aerosol cans, Alcohol, Loctite
- Handy wipe containers (empty)
- Small chemical containers













#### SCRAP METAL





# **General Plant Trash Containers**

Gray plastic and metal containers



Plant floor



Conference rooms

# **Recyclable Containers**



# Blue plastic



Plant floor

Gray metal



Conference rooms & cafeteria

# COMPOST

# FOOD WASTE ONLY!!!

- Any type of food meat products, dairy products, breads, fruits and vegetables
- No trash!!



Cafe



Kitchenette

# **Other Waste Containers**

Blue metal non-hazardous waste tilt tubs
Scrap Metals



# Blue plastic non-hazardous waste drums

Oily debris, oily gloves, oily cans, oil soaked pads / socks (no oildry) & properly drained oil filters



# Yellow metal hazardous waste drums

Empty aerosol cans, isopropyl bottles and loctite cans, small empty paint cans

Red metal hazardous waste cans Alcohol & Solvent wipes







Black tote Cardboard



# Container Filling & Closing



# Filling Containers - Do not overfill the container

- Drums: Allow 4 6 inches of headspace
- Totes: Allow 6 8 inches of headspace
- For heavy solids/sludges, more headspace needed
- Close drum bungs and tote lids

### Closure:

EPA and DEP require <u>ALL</u> hazardous wastes containers to be <u>closed</u> except when adding or removing waste!!!



YES!



# Integrated Contingency Plan (ICP)



DEP requires large quantity generators of hazardous waste (>13 tons a year) to have an ICP which includes:

#### **ICP Elements**

- Description of Operations
- Chemicals with Container Types, Storage Locations,
   Containment Methods
- Emergency Response (ER)
  - Evacuation, Spill Containment Equipment & Resources
  - Additional Outside Resources
  - Emergency Coordinators:
    - Ignazio Sabella
    - Tim Scripko
    - Lisa Smith
    - Gary Pease
    - Greg Glatz

# Spill Kit

Plastic Bags







Nitrile Gloves



Sorbent Socks





# PART 3: Other Environmental Awareness

# Sustainability initiatives



Objectives are based on both site and Company goals

- 1. Reduce energy (electricity & natural gas) usage
- 2. Reduce waste generation
- 3. Waste to landfill 0%

Red Dot Green Dot Program - reduce electricity consumption



A green dot on equipment, unit, fixture, lighting, etc. means turn it off when not in use or at EOS. Start up and shut down procedures should be in standard work sheets or task sheets.




A red dot on equipment or unit means it cannot be turned off.

# Other Env. Reg. Requirements




- Air Quality
  - Air Quality Permit Emissions from the building to the outside
  - > Sources include painting, roll test booths & heating/natural gas emissions
- Storage Tanks
  - Underground tanks containing regulated materials gasoline (1 5K gal) and oils (2 10K gal)
  - Multiple aboveground tanks contain regulated materials diesel, acid & alkaline chemicals
- Stormwater
  - Permit for noncontact cooling water and stormwater
  - > Stored equipment or materials outside requires EHS approval
  - Never dispose of waste on the ground surfaces or into streams
- Wildlife Management
  - Canada Resident Goose
  - Spotted Lantern Fly
- Training
  - All employees are required to take Environmental Training
  - Environmental training requirements are listed in Work Instruction YS2.03.638

# Red Tag process



Disposition of unwanted items from the 5S process or general housekeeping activities.

- WI HS2.11.107 Red Tag Process
- Place unwanted items in Red Tag area
  - Outside, SE corner of building under lean-to
  - Fill out Red Tag (NOT a NCM tag)
  - Attach Red Tag to item
  - Enter items in tracking sheet on Red



# Did you know we have a program for Contractor Awareness?

# Contractors annually complete Contractor Onboarding training

- Similar employee environmental information
- H-D Contact is responsible for Contractor / Supplier / Visitor:
  - Supervise their contractor/supplier/visitor working at the site for conformance to Environmental requirements.
  - Use Shield Work Instruction YVO 3.13.04.01 for Contractor Safety Rules and Practices.

# Things to Know

- EMS Policy
- Does your job affect Significant/ Environmental Aspects?
- Environmental Objectives
- How to respond in an Evacuation?
  - Employee Emergency Preparedness and Response 3.13.06.01 Shield
- What to do in Case of a Spill?
  - Employee Emergency Preparedness and Response 3.13.06.01 Shield
- How to Properly Handle/Dispose of Waste?
  - Place waste in the correct container
  - Verify the container is labeled properly
  - Waste Disposal Activities YS2.03.637

Information is posted on Kiosks throughout the facility





# Continuous Improvement IDEA Submission



- Do you have an environmental continuous improvement (CI) idea?
- Complete and submit a form.
- Forms and submittal box are in the contractor onboarding area near the lobby.